

SHEEP HEALTH PLAN CALENDAR

ALL INCOMING STOCK SHOULD RECEIVE A QUARANTINE DRENCH OF ZOLVIX AND ENDOFLUKE WITH AN INJECTION OF DECTOMAX AGAINST SCAB.



Month	Treatment	Health check and nutritional supplementation	Dead ewe tally	Dead ram tally	Dead lamb tally
January	Fluke with Endofluke and turn out on dry pasture – submit dung sample 6weeks later to check Endofluke is working	Scan March lambers Blood test screen for barreners from scanning (toxoplasmosis) Pre lambing check and check records against last year			
February	Worm ewes at turnout with cydectin oral drench Dose ewes with Endofluke				
March					
April	Rycoben drench February born lambs in early April and drench check for other gut worms				
May	Rycoben drench March born lambs in early May and drench check for other gut worms				
June	Faecal egg count (drench check for worms) at least twice a month	Pre breeding check rams			
July	Faecal egg count (drench check for worms) at least twice a month	Blood test barreners for enzootic abortion			
August	Faecal egg count (drench check for worms) at least twice a month Combinex thin ewes 1st batch of ewes for tup in September / Fasinex well conditioned ewes				
September	Faecal egg count (drench check for worms) at least twice a month 2nd batch of ewes for tup in October need combinex thin ewes /just fasinex well conditioned ewes Tups in for February lambers	TRACE ELEMENT DRENCH FEBURARY LAMBERS			
October	Faecal egg count (drench check for worms) at least twice a month Tups in for March lambers	TRACE ELEMENT DRENCH MARCH LAMBERS			
November	Faecal egg count (drench check for worms) at least once a month Tups out for February lambers -Fluke and worm tups	Scan February lambers			
December	Dose ewes with Endofluke Tups out for march lambers – fluke and worm tups				

BEEF HEALTH PLAN CALENDAR



ALL INCOMING STOCK SHOULD RECEIVE A PRIMARY BVD VACCINATION AND ENDOFLUKE DRENCH AND BIMECTIN POUR ON

Month	Treatment/procedure	Health check and nutritional supplementation	Dead cow tally	Dead calf tally (0-24hrs old)	Dead calf tally (24hrs to 6weeks)
January					
February	Black leg all youngstock primary course (2doses 4-6 weeks apart) Black leg all youngstock annual booster				
March	Turnout	Scan all cows and heifers from November service period			
April		Ensure magnesium supplemented			
May	Black leg spring born calves with primary course (2doses 4-6wk apart)				
June					
July	BVD vaccinate cows primary course any youngstock / first timers over 9months old and annual booster all other breeding animals Bimectin plus injection PUT BULL IN WITH COMMERCIALS AND GALLOWAY HEIFERS	FERTILITY CHECK BULLS Trace element bolus breeding animals			
August	Endofluke all grazing cattle				
September					
October	Endofluke all adult grazing cattle Bimectin plus injection all first season grazing youngstock				
November	PUT BULL IN WITH GALLOWAYS FOR AUTUMN CALVING BLOCK	Scan all cows and heifers from July service period			
December	Bimectin plus all young grazing cattle (under 2yo) 4-6 weeks after housing Endofluke all adult cattle after housing				

	Possible second fluke treatment 12 weeks post housing if heavy fluke year (consult us at Torch for advice)				
--	--	--	--	--	--